## 1. True (A) or false (B):

Tibolone is an analogue of the progestin, norethynodel.

## 2. True (A) or false (B):

Tibolone increases sex hormone-binding globin.

# 3. True (A) or false (B):

Tibolone is of specific value in women with significant malaise and fatigue.

## 4. True (A) or false (B):

Tibolone is not of specific value in women with excessive breast tenderness or mastaglia.

#### 5. True (A) or false (B):

Young women who have been rendered menopausal by surgical bilateral salpingo-oophorectomy will not benefit from tibolone use.

# 6. True (A) or false (B):

Breast cancer survivors using tamoxifem and tibolone have an increased risk of developing breast cancer metastases

## 7. True (A) or false (B):

The incidence of bleeding in the first 3 - 6 months is higher in tibolone users compared with users of continuous combined hormonal therapy.

# 8. True (A) or false (B):

Tibolone is useful as an 'add-back therapy' for women on GNRH analogues.

# 9. True (A) or false (B):

Secondary postpartum haemorrhage affects about 2% of admitted postnatal women in developed countries.

# 10. True (A) or false (B):

Postpartum haemorrhage accounts for about 12% of all maternal deaths in South Africa.

## 11. True (A) or false (B):

In women dying in pregnancy and the puerperium, the largest sub-group in the category obstetric haemorrhage is bleeding during and after caesarean section.

## 12. True (A) or false (B):

Balloon tamponade to reduce bleeding due to uterine atony or placenta praevia is not useful.

# 13. True (A) or false (B):

Laporoscopic re-anastomosis of fallopian tubes is inferior to open laparotomy.

# 14. True (A) or false (B):

The incidence of requests for tubal re-anastomosis in women who have previously had a tubal ligation is 10 - 12%.

# 15. True (A) or false (B):

Pregnancy rates achieved after tubal re-anastomosis are generally above 50%.

## 16. True (A) or false (B):

Oxidative stress is decreased in women who develop preeclampsia.

# 17. True (A) or false (B):

The placenta favours oxidative stress because it is rich in mitochondria and iron.

# 18. True (A) or false (B):

All qualified nurses in South Africa are regarded as midwives irrespective of their interest.

# 19. True (A) or false (B):

There is no nationally agreed scope of practice for advanced midwives.

## 20. True (A) or false (B):

Lack of teamwork between midwives and medical professionals involved in the delivery of babies contributes to poor quality of service.

CPD questionnaires must be completed online via www.cpdjournals.org.za

After submission you can check the answers and print your certificate.

Questions may be answered up to 6 months after publication of each issue.

Accreditation number: MDB001/013/01/2011